

Docket No.: 043888-0497

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	Customer Number: 53080
	:	
Akihito KAMEI, et al.	:	Confirmation Number: 8270
	:	
Patent No.: 7,790,470	:	Issued: September 7, 2010
	:	
Application No.: 10/588,546	:	Group Art Unit: 1797
	:	
Filed: August 7, 2006	:	Examiner: Neil N. TURK
	:	
For: STIRRING METHOD, CELL, AND MEASURING APPARATUS USING THE SAME	:	

**REQUEST FOR DUPLICATE COPY
OF CERTIFICATE OF CORRECTION**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Please issue a duplicate copy of the Certificate of Correction issued November 23, 2010 and received in our office on November 29, 2010. Soon thereafter, the Certificate was mailed to our client, who has reported to us that they never received it and it appears to have been lost in the mail.

The Commissioner is hereby authorized to charge any prescribed fee associated with this request to Deposit Account 500417.

We look forward to receiving the document and thank you for your assistance in this matter.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP

Michael E. Fogarty
Registration No. 36,139

**Please recognize our Customer No. 53080 as
our correspondence address.**

600 13th Street, N.W.
Washington, DC 20005-3096
Phone: 202.756.8000 MEF:tmt
Facsimile: 202.756.8087
Date: March 7, 2011
WDC99 1988981-1.043888.0497